

Human CEACAM5 Protein; hFc Tag

Product Information

Product Name Human CEACAM5 Protein; hFc Tag

Storage temp Store at $\leq -70^{\circ}\text{C}$, stable for 6 months after receipt.
Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Catalog# / Size GM-87545RP-100 / 100 μg
GM-87545RP-1000 / 1 mg

Protein Information

Alternative Names CEACAM-5, CD66e, CEA, Meconium antigen 100

Source Human CEACAM5 Protein; hFc Tag (GM-87545RP) is expressed from human 293 cells (HEK-293). It contains AA Lys 35 - Ala 685 (Accession # P06731).
This protein carries a human IgG1 Fc tag at the C-terminus.

Purity > 95% as determined by SDS-PAGE

Endotoxin < 1 EU/ μg , determined by LAL gel clotting assay


Predicted Mol Mass 97.3 KDa

Formulation Supplied as a 0.2 μm filtered solution of PBS, pH7.2-7.4.

Description CEACAM5 (Carcinoembryonic Antigen-Related Cell Adhesion Molecule 5) is a cell adhesion molecule and a member of the CEA family. CEACAM5 protein is mainly expressed in epithelial cells of the digestive tract and some cancer cells in the human body, including tissues such as the colon, rectum, and stomach. CEACAM5 protein plays an important role in cell adhesion and signal transduction between cells. It can interact with other cell surface CEACAM proteins or other cell adhesion molecules to participate in cell adhesion and interactions. Additionally, CEACAM5 protein can activate signal transduction pathways to regulate biological processes such as cell proliferation, migration, and apoptosis. Due to its high expression in many cancers, CEACAM5 protein is considered a tumor marker. Clinically, the expression level of CEACAM5 protein can be used to assess the degree of tumor development, prognosis, and treatment effects. Some studies also suggest that CEACAM5 protein may be involved in the occurrence and development of tumors, making it a potential target for cancer treatment.


Version:4.0

SDS-PAGE




On SDS-PAGE under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 95%.

Bioactivity-ELISA



Human CEACAM5 Protein; hFc Tag (Catalog # GM-87545RP) was immobilized at 2 µg/ml (100 µL/well). Increasing concentrations of Anti-CEACAM5 hIgG1 Reference Antibody(Labbio) (Catalog # GM-87813MAB) were added.



Human CEACAM5 Protein; hFc Tag (Catalog # GM-87545RP) was immobilized at 2 µg/ml (100 µL/well). Increasing concentrations of Anti-CEACAM5 hIgG1 Reference Antibody(Tusbio) (Catalog # GM-87814MAB) were added.